

合 同

合同编号: H/T-00002263

项目名称: 第六医院中央财政支持中医药事业传承与发展示范试点项目
补助资金采购项目

甲 方: 北京市第六医院

乙 方: 北京汉华荣欣经贸有限公司

签署日期: 2026. 1. 28



目 录

一、合同.....	3
二、配置清单.....	6
三、廉洁协议书.....	11
四、售后服务承诺.....	12
五、中标通知书.....	16



一、购销合同

甲方：北京市第六医院

统一社会信用代码：12110101400782662H

乙方：北京汉华荣欣经贸有限公司

统一社会信用代码：91110102689236848Y

北京市第六医院（甲方）就第六医院中央财政支持中医药事业传承与发
展示范试点项目补助资金（采购项目），经北京国际贸易有限公司，招标文号
0686-2611QI043884Z。根据招标结果评定北京汉华荣欣经贸有限公司（乙方）
为中标方。甲、乙双方符合依据《中华人民共和国政府采购法》、《中华人民共
和国民法典》，在平等自愿的基础上，签署了“采购合同”。

第一条 产品的名称、规格型号、价格

附件:详见设备配置清单

序号	产品全称	规格型号	品牌	产地	单位	数量	单价 (元)	总价 (元)
1	超声电子上消 化道内窥镜	GF TYPE UCT260	奥林巴 斯	日本	套	1	¥2,000,000	¥2,000,000
2	彩色超声诊断 系统	EPIQ 5W	飞利浦	中国	套	1	¥1,098,000	¥1,098,000
3	子午流注穴位 电疗仪	DJ-A9	大鲸	中国	套	1	¥97,500	¥97,500
合计：¥3,195,500 元，大写金额：人民币叁佰壹拾玖万伍仟伍佰元整								

第二条 技术标准：

产品的技术标准和质量标准：

按国家食品药品监督管理总局标准执行的企业		
产品名称	厂家	证号
超声电子上消化道内窥镜	奥林巴斯医疗株式会社	国械注进 20163063147、 国械注进 20173062125、 国械注进 20173061459
彩色超声诊断系统	飞利浦医疗（苏州）有限公司	国械注准 20223060937
子午流注穴位电疗仪	郑州大鲸医疗科技有限公司	豫械注准 20252200550



第三条 包装、运输

包装费：包装费由乙方承担。乙方负责有关包装不良以及包装方面采取了不良或不当的保护措施而造成的任何商品损失，并负担所招致的费用。乙方负责货物到达目的地的运输、运输费、保险费由乙方负责。设备仪器送达甲方所在地点后，开箱验收时必须在双方指定的人员均在场的情况下进行，在运输以及装卸货物过程中招致的一切损失由乙方承担。

第四条 付款方式

双方签订合同后，乙方需向甲方开具全额发票，待设备安装调试、培训，验收合格后 90 日内，甲方向乙方进行全额付款金额：¥3,195,500 元（大写人民币：叁佰壹拾玖万伍仟伍佰元整），乙方向甲方支付合同总金额的 10%，即¥319,550 元，（大写人民币：叁拾壹万玖仟伍佰伍拾元整）作为质保金，待验收确认入库合格之日起免费保修期执行一年后（若货物无质量问题），甲方退还乙方质保金¥319,550 元（大写人民币：叁拾壹万玖仟伍佰伍拾元整）。

第五条 交货方式（安装、验收与培训）

1、交货期：签订合同 10 日内，乙方必须提供全新、未曾使用过的产品。

甲方应按乙方提出的要求，负责准备场地；甲方在收到拟签署合同完成后，并准备好场地后，通知乙方；在接到甲方的安装通知后的两日内，派出工程师前往并到达安装现场；乙方所派工程师与甲方有关人员一起负责开箱验机；乙方工程师负责免费安装调试；安装调试完毕后进行验收，经验收合格，甲、乙双方代表共同在验收书上签字；验收合格并签字后，乙方工程师负责对客户的直接使用者进行免费的现场培训。

第六条 售后服务：

1、甲方本次所购设备、乙方提供质保期如下：

电子超声内镜、肌骨超声仪整机原厂质保：3 年；子午流注仪整机原厂质保：5 年；（以上设备终身维护含配件）人为因素除外。 保修期后，设备维修只计配件成本费，免收工时费。

2、如果仪器出现问题，维修人员在 24 小时内作出维修方案，如 24 小时内无法通过、电话解决问题，维修人员将在接到故障报告后 48 小时内到达医院（法定节日除外）。若故障在 48 小时内无法修复，乙方应在接到甲方通知后 24 小时内提供同等规格的备用设备，并承担备用设备的运输费用，直至原设备修复完毕。

3、乙方配合甲方完成设备接口相关服务，并支付对接设备的接口费用。

第七条 不可抗力

签约甲、乙方任一方由于受诸如严重火灾、洪水、台风、地震等不可抗力事故的影响而不能执行合同时，履行合同的期限应予以延长，延长的期限应相当于事故所影响的时间。不可抗力的事故是指甲乙双方在缔结合同时不能预见的，并且它的发生及后果是无法避免和无法克服的事故。受阻一方应在不可抗力事故发生后尽快用书面通知对方，并于事故发生后 14 天内将有关部门出具的证明文件给对方审阅确定。

第八条 争议及诉讼

在执行本合同过程中所发生的一切争议，由签订本合同的甲乙双方共同协商解决；甲乙双方不能协商解决时，应向甲方所在地人民法院提起诉讼，诉讼费由败诉方承担。



第九条 通知

甲乙双方因履行本合同或与本合同有关的一切通知都必须按照本合同中的地址,以书面形式或双方确认的传真或类似的通讯方式进行。采用信函形式的应使用挂号信或者具有良好信誉的特快专递送达。如使用传真或类似的通讯方式,通知日期即为通讯发出日期,如使用挂号信件或特快专递,通知日期即为邮件寄出日期,并以邮戳为准。本合同载明的地址、电话、银行账号等联系方式发生变更的,变更一方应自变更之日起 15 日内以书面形式通知对方,因变更一方通知不及时造成损失的,该全部损失由变更一方承担。

第十条 保密及知识产权

1.甲乙双方对本合同的内容、因履行本合同所知悉的对方的商业秘密及保密信息负有保密责任。未经对方事先书面同意,任何一方不得将相关信息披露给任何第三方,任何一方违反本条保密约定,均应承担全部法律责任并赔偿因此给守约方造成的全部损失。本条规定持续有效,不因本合同终止而失效。

2.乙方应保证甲方在使用乙方提供的产品或服务时不受任何第三方提出的侵犯专利权、著作权、商标权等合法权利的起诉。如果任何第三方提出侵权指控,乙方须与第三方交涉并承担由此发生的一切责任、费用和经济赔偿。

第十一条 违约及解除

1.乙方逾期交货的,应向甲方支付违约金,每日按合同总金额的 0.05 %计算,乙方逾期交货 30 日的,甲方有权解除本合同,乙方除支付相应违约金外,还应退还甲方已支付的款项。乙方交付货物不符合要求导致实际交付延迟的,乙方应承担相应逾期违约金。

2.乙方交付的货物不符合本合同约定的,乙方应在 15 日内按甲方要求进行退换货处理,乙方未在 30 日内未处理或处理后仍不符合要求的,甲方有权解除本合同,乙方应赔偿甲方全部损失并承担合同总金额 5%的违约金。

3.乙方未按本合同约定履行售后服务义务的,每发生一次,应承担本合同总金额 0.25%的违约金,且甲方有权指定第三方承担相应义务,由此产生的费用及损失由乙方承担。

第十二条 本合同一式肆份,甲方持叁份,乙方持壹份,签字盖章后生效,每份具有同等法律效力。

甲方:北京市第六医院

签字(盖章):

日期:2026年1月28日

乙方:北京汉华荣欣经贸有限公司

签字(盖章):

日期:2026年1月28日



二、配置清单

电子超声内镜配置清单

序号	型号	名称	数量
1	GF TYPE UCT260	扇扫型超声内镜（超声电子十二指肠内窥镜）	1
2	GIF-H290T	电子胃镜（电子十二指肠内窥镜）	1
3	CF-H290I	高清肠镜（电子结肠内窥镜）	1



肌骨超声仪配置清单

彩色超声诊断系统

领鉴 5W 配置清单

PHILIPS

SYSTEM/SYSTEM OPTIONS:	系统选项	QTY
EPIQ 5W 2D Standard Intelligent Ultrasound System Core Innovative Design	领鉴 5W 2D 标配 划时代旗舰超声系统主机创新的设计	1
EPIQ 5W2D Standard is a new direction for premium ultrasound featuring an uncompromised level of clinical performance to meet the challenges of today's most demanding practices- the most powerful architecture ever applied to ultrasound imaging - touching all aspects of acoustic acquisition and processing allowing you to truly experience Ultrasound's evolution to a more definitive modality.	领鉴 5W 2D 标配 是针对日益复杂的临床需求设计的拥有毫不妥协图像品质的全新旗舰机型，其拥有强大的工程设计以提供出色的超声图像，满足了各方面的声学需求，让您对超声革命拥有全新的体验。	
Reinvention of the premium ultrasound user experience	带来全新客户体验的旗舰超声	
New tablet like interface revolutionizes how you interact with the system resulting in dramatic reduction of exam reach and exam steps. (15% reduction in total steps, 40% to 80% reduction in long reaches)	全新功能分区控制面板，令使用者在操作时，大幅减少按键的次数及移动距离。（减少15%的操作步骤，减少40%到80%的按键移动距离）。	
Lightest premium system in its class (230 pounds) - 40% lighter than the heaviest competitive premium system	最轻便的旗舰超声系统（仅重230磅）-比同级产品轻40%	
Large 24-inch high definition MAX display for easy viewing in virtually any environment	24英寸HD MAX高分辨率医用显示器，适合各种检查环境	
Infinite articulation of control panel and monitor allows for perfect alignment whether sitting or standing (720 degrees of freedom to scan ergonomically)	全方位自由臂设计，可提供显示器及操作面板任意调节（720度自由调节），极大方便扫查	
Almost silent when running (37-41dB) - equivalent to the sound of a library	很低的工作噪音（37-41dB）-静若图书馆	
4 transducer ports	4个探头接口	
Integrated footrest	一体化脚踏板	
Integrated storage shelves	一体化存储格	
4 wheel swivel and swivel/brake lock control	4个独立旋转锁定万向轮	
The most powerful architecture ever applied to ultrasound imaging	强大的主机架构提供无与伦比的超声图像	
Proprietary nSight Pro architecture - a totally new way to form ultrasound images - all without compromise. The combination of a new precision beamformer and massive parallel processing allow Elite to receive and process an enormous amount of	专利的nSIGHT Pro技术一个全新的毫无妥协的超声图像技术。其包括全新的波束形成技术和海量的并行处理，从而接收海量原始声学数据，允许系统进行实时的逐像素聚焦。	
Up to 4,718,592 total digital channels (xMATRIX configuration)	高达4,718,592数字化通道（xMATRIX）	
Exclusive adaptive signal to noise ratio that achieves system dynamic range	独有的自适应信号提高系统信噪比	
Philips Next Generation SonoCT Real-Time Compounding, with Widescan capability and up to 9 beam-steered lines of sight that acquires more information and reduces angle-generated artifacts	飞利浦新一代SonoCT实时空间复合成像，可结合扩展成像，从而获得更多信息，减少因角度造成的伪像	
Philips next generation XRES Pro Adaptive Image Processing for noise and artifact reduction to improve tissue and border	飞利浦新一代XRES Pro自适应图像优化技术，抑制斑点噪声，提高组织边界显示	
MaxVue	MaxVue全屏成像技术	
Allows use of entire monitor viewing area for displaying image. Uses a high definition aspect ratio of 16:9	全屏显示16:9的高清超声图像	
Fully independent, multiple mode Triplex operation	完全独立的多模式的实时三同步显示	
Transducers	探头技术	
Advanced Compact connector technology offers pinless design for exceptional reliability and performance that feature:	高级集成探头接口技术，采用无针设计提供优异的可靠性和图像质量	
Ergonomic designs with lightweight flexible cables	人体工程设计提供便捷及更柔软电缆	
New low-loss technology for better penetration with fewer	全新的低损耗技术，提供优异的穿透力	
Breakthrough frequency bandwidths and array configurations	颠覆的宽频带技术及阵列技术	
Supports array configurations up to 22MHz - sector, linear, curved, tightly curved, TEE and volume transducers (mechanical and xMATRIX)	提供最高频率达22MHz探头，包括扇扫阵、线阵、凸阵、TEE及xMATRIX矩阵探头	
Automation	智能化	
Designed with our most innovative tools to maximize efficiency	创新性设计工具，最大限度提高使用效率	
Autoscan (real time iSCAN) automatically optimizes gain and TCG continuously to assure you are achieving an optimal image in 2D, 3D and 4D.	Autoscan (实时iSCAN)自动持续优化图像增益及TCG，以保证你拥有最佳的2D、3D及4D图像	



SmartExam system-guided protocols with new features that include exam record and automatic mode switching to greatly improve workflow efficiencies	SmartExam (扫查专家) 技术引导扫查流程, 包括扫查记录及自动模式切换, 极大提高扫查效率	
Vascular Auto Doppler flow optimization automatically adjusts color box position and angle, automatically adjust sample volume placement and angle. Also includes Auto Flow Tracking for automatic angle correction with sample volume movements	血管AutoDoppler (智能多普勒) 自动调节取样框位置和偏转方向, 跟踪取样框位置及角度, 包括实时自动血管追踪和自动角度校正	
Vascular High-Q Automatic Doppler provides real-time tracking of Doppler signal, automatically selecting the highest peak velocity and with the touch of a button, adding measurements to measurement list	血流HighQ自动多普勒测量提供一键实时包络多普勒信号, 自动选择最高峰值等测量, 并将测量结果加入报告	
Intelligent Tissue Specific Imaging	智能组织特异性成像	
Application-specific and user definable Quicktext Automatic Annotation	与特定扫查条件相关的自定义快速自动注释词条	
QuickSAVE User Defined Programs (up to 45 per transducer)	QuickSAVE快速存储用户自定义检查条件 (每探头高达45个)	
Data	数据管理	
Multimodality Query Retrieve (Allows for the viewing of DICOM CT, NM, MRI and ultrasound Images - you can review these images while you are live imaging)	联合影像技术 (允许查阅DICOM格式CT、NM、MRI和超声图像-可实时影像对照以上图像)	
NetLink/DICOM 3.0 provides network print and store, commit, modality worklist, DICOM Query and Retrieve, and structured reporting for adult and pediatric echo, vascular, and OB/GYN	NetLink/DICOM 3.0提供网络打印及存储, 确认各影像工作单, DICOM请求及检索, 成人和小儿心脏、血管及妇产科结构化报告	
DICOM 3.0 Print and Store capability to internal drive or DVD/CD	DICOM 3.0 打印存储支持内部设备及DVD/CD	
Integrated Wireless DICOM	支持无线DICOM	
On-board workstation-class data management with thumbnail previews and storage of images, loops, and reports	在机工作站数据管理, 支持缩略图浏览, 存储静态和动态图像及报告	
Retrospective and prospective clip capture to internal drive or removable media	回顾型和前瞻型动态片段获取, 支持内部存储设备或移动设备	
Ability to send XY & Z volume MPR's to most PACS	支持发送容积图像的X、Y、Z数据至PACS系统	
Ability to export QLAB native data	支持QLAB原始数据导出	
Other Core Features	其他主机性能	
2D Panoramic	二维全景成像	
Color Power Angio	彩色能量多普勒	
Tissue Harmonics and Pulse Inversion Harmonic Imaging	组织谐波和脉冲反相谐波	
Basic 3D Imaging capability with MPR visualization feature	基本3D成像和MPR显示	
2D, M-Mode, Anatomic M-mode, Color Flow Doppler, Pulsed	2D、M型、解剖M型、彩色多普勒、PW、高重复频率PW、CW	
Cine-loop Image, M-mode and Doppler Review	2D、M型、多普勒回放	
High Definition Write Zoom and Read Zoom with pan features	高分辨率读放大及写放大, 可平移	
Chroma Imaging	伪彩	
Measurement tools including: distance, depth, area, and	测量项目包括: 距离、深度、面积、周长等	
Volume Flow Measurements	血流容积测量	
Tissue Doppler Imaging	组织多普勒成像	
LVO contrast	左心腔造影	
Stress Echo Protocol	负荷超声心动	
Advanced Clinical PKG	高级功能软件包	1
STRAIN ELASTOGRAPHY:		
Highly sensitive strain imaging requires no external compression and can be used to assess relative tissue stiffness across a variety of applications. Strain based Elastography for Breast Imaging (eL18-4, L12-5, L18-5) Strain based Elastography for uterine imaging (C10-3v).	应变弹性成像: 高敏感应变弹性成像无需外力加压, 用于评估相对硬度满足多种临床需求, eL18-4、L12-5及L18-5用于乳房, C10-3v用于腔内。	
ElastQ Imaging Curved: ElastQ Imaging (EQI) for curved array (CS-1) features a real-time, large region of interest (ROI) color coded quantitative assessment of tissue stiffness using shear wave elastography. ElastQ Imaging includes the ability to make retrospective measurements on stored images as well. Unique confidence map display utilizes intelligent analysis that adds additional assurance that user measurements are obtained on tissue areas with adequate shear wave propagation. EQI also	ElastQ Imaging: ElastQ剪切波弹性成像 (EQI) 凸阵探头 (CS-1) 具有实时显示, 大的感兴趣区 (ROI) 颜色编码定量评估组织硬度使用剪切波弹性成像, ElastQ剪切波弹性成像还包括对存储的图像进行回顾性测量的能力。独特的置信图显示利用智能分析, 为用户在具有足够剪切波传播的组织区域上获得测量提供了更多的保证。EQI 还包括ElastPQ剪切波定量技术支持。	
MicroFlow Imaging & MicroFlow Imaging HD (MFI & MFI HD)	MFI&MFI HD (微视血流成像&高清微视血流成像)	
Shared Service Clinical Package	全身临床套件软件包	1



(Abdominal, GYN,Vascular,Pediatric radiology,Pediatric Cardiology,Small parts,MSK,Adult echo,OB, Fetal Echocardiography,Urology,TCD , Intervention clinical option)	(腹部, 妇科, 血管, 儿童腹部, 儿童心脏, 小器官, 肌肉骨骼, 成人心脏, 产科, 胎心, 泌尿科, 经颅多普勒, 介入临床应用)	
Advanced Capabilities Limited	高帧频临床选项	1
Language of usage: Simplified Chinese	中文操作系统	1
Operations Manual	操作手册	1
Transducer Options	探头选项	
(Requires at least one of the Clinical options indicated)	(至少选一项上面标明的临床选项)	
Phased Array Transducers	相控阵探头	
S5-1 PureWave Crystal Transducer (Cardiology, TCD)	S5-1纯净波相控阵探头 (心脏、经颅多普勒)	1
Curved Transducers	凸阵探头	
C5-1 PureWave Crystal Transducer (Abdominal,OB,	C5-1纯净波凸阵探头 (腹部、产科、妇科)	1
Linear Transducers	线阵探头	
L12-3 ERGO (Vascular, small parts, Bowel, Breast)	L12-3 ERGO (血管、小器官、肠道、乳腺)	1
L12-5 Transducer (Vascular, small parts, Pediatric, OB, Bowel, Breast)	L12-5线阵探头 (血管、小器官、儿科、产科、肠道、乳腺)	1
OTHER OPTIONS	其它选项	
Ethetmet Cable	以太网线	1
PEDIATRIC ECG LEADS	儿科心电	1



子午流注仪配置清单
子午流注穴位电疗仪 DJ-A9

序号	名称	数量
1	主机	1 台
2	电源线	1 条
3	合格证	1 份
4	说明书	1 份
5	导线	8 条
6	电极	8 台



三、《廉洁购销协议书》

为规范购销行为，促进医药行业健康发展，杜绝和禁止购销中的不良行为，北京市第六医院与合作方及其法人崔海葵签署《廉洁购销协议书》：

一、在购销活动中，严格遵守法律法规及流通环节的法规和商业道德，依法约束自己的商业行为。

二、严格执行北京市医药卫生招标采购的各项有关规定，本着公开、公正、公平的原则，杜绝采购环节中的任何违法违规行为的发生。

三、供销商在购销商业活动中，不得以任何形式对医院工作人员进行商业贿赂，馈赠现金、礼物、有价证券、信用卡和其他任何形式的劳务费、咨询费等，不得进行权钱交易。

四、推销人员未经院方有关部门批准不得进入诊室、病区推介产品，不得以各种手段干扰医生的工作等。

五、院方医务人员以暗示或任何形式索要回扣、提成等，供应商应予以拒绝，并有责任如实向院方纪检部门反映情况。

六、院方实施公司诚信评估调查制度，对医药生产经营企业廉洁守信、依法经营情况，定时进行全面评估，作为续签合同的重要依据。

七、发现不正当行为，严格按照购销领域商业贿赂不良行为记录的有关规定，及时向上级主管部门报告，配合执法部门，严厉打击违法违规行

法违规行为。
北京市第六医院
法人：崔海葵
2020年1月28日

经营企业：北京汉华荣欣经贸有限公司
法人：付海英
2020年10月28日



四、售后服务承诺书

OLYMPUS

售后服务承诺书

致：【北京市第六医院】（“贵院”）

一、质量保证：我公司保证所提供的产品均满足国家规定的产品技术要求。

二、装机服务：

货到用户指定场所，我公司派工程师免费上门安装调试。

三、设备保修：对我司销售的奥林巴斯产品提供保修服务

1、保修范围：

奥林巴斯内镜主机产品（如内镜、图像处理中心、冷光源、高频电烧等）由于质量问题而引起的故障由奥林巴斯厂家进行免费维修，以下情况不属于保修范围：

- 1) 消耗品（如治疗附件，手术器械，灯泡等内镜配件）。
- 2) 经与奥林巴斯无关的维修中心修理过，或擅自改装拆卸过的设备。
- 3) 由于人为因素及使用不当引起的产品故障，例如喷嘴堵塞、弯曲橡皮针孔、因使用不合格或规格不匹配附件导致的活检管道破损、清洗消毒不当引起的内镜外皮脱落或腐蚀、插入管及弯曲管受压或刮破、内镜先端部受外力撞击导致摄像头组件或导光组件破损、清洗消毒时未盖防水帽或盖了ETO帽浸泡、光学视管受外力碰撞导致透镜结构松动等。
- 4) 由于运输不当或火灾、洪水等天灾引起的故障。
- 5) 未使用奥林巴斯产品清洗消毒灭菌手册中提及的已验证的清洗消毒机、消毒液、灭菌器进行清洗、消毒、灭菌引起的故障。

2、产品保修期：

针对本项目，我司产品保修期为3年。

保修期起算日：

- 1) 出库3个月内回收安装确认书：从装机日起算；
- 2) 出库3个月内未回收安装确认书：从出库日+7天起算

四、响应时间：

我方接到用户报修通知后，24小时内进行响应；如需到达现场对应，响应时间为3个工作日内。

五、其他服务：

- 1、在设备调试期间，公司免费提供使用和保养的中文手册，并对医生就设备的操作规范以及操作注意事项进行重点介绍和培训。
- 2、我公司售后服务人员根据巡回结果，不定期向客户提供故障预防培训。
- 3、公司将不定期举办学术交流活动，提供技术支持及培训，并为客户提供各种形式的规范使



用、维护保养、故障预防类资料，提高用户操作及诊断水平。

4、如与我司签订服务合同，并修理等级为大修理时，可享受备品优先出借权。

六、维修服务网络：

奥林巴斯（北京）销售服务有限公司在北京、上海、广州、沈阳、杭州、西安、成都设立服务中心，由奥林巴斯（北京）销售服务有限公司直接管理，对应维修业务，范围覆盖全国。为最大限度的保证我司所销售产品的维修，由奥林巴斯总公司在上海和广州分别设立了两个大型维修工厂。此外，奥林巴斯（北京）销售服务有限公司在上海设立了客户服务中心，该中心在法定工作日内，通过全国咨询热线电话 400*830*2004 为客户提供专业的远程服务支持。我司将以原厂维修品质、完善的售后服务网络，为用户提供便捷高效且优质满意的服务。

七、其他：

本售后服务承诺书适用于项目名称：第六医院中央财政支持中医药事业传承与发展示范试点项目补助资金，项目编号：0686-2611Q104388421 项目，仅用于【本项目招投标】使用。



售后服务承诺书

飞利浦医疗系统在全国大中城市设有近二十家办事处，共有 300 余名经专业培训的工程师向用户提供全面售后服务，并在北京、上海、广州设有仓库，备有大量的常用零备件(价值一千万美元以上)，以保证为用户提供最为及时周到的服务，具体服务措施如下：

- 1) 设备到货后，负责设备的安装、调试，直至设备正常运行。
- 2) 对医院有关技术人员进行现场应用培训，并对有关工程技术人员进行设备基本保养和维护的指导。
- 3) 设备安装调试合格后，~~免费保修 3 年。~~
- 4) 保修期内保证开机率 $\geq 95\%$ (按工作日计算)。
- 5) 设备交付使用后，定期对设备进行维护保养。
- 6) 设备保修期内出现故障时，初次报修反应时间在 1 小时内。
- 7) 设备服务期内，用户享受免费软件升级。
- 8) 保证十年以上的配件供应。
- 9) 提供 24 小时免费维修服务热线 800-810-0038。



MAITHON

售后服务承诺书

尊敬的客户您好：

欢迎您使用郑州大鲸生物科技有限公司的子午流注穴位电疗仪产品，我公司秉承“质量第一，客户至上”的企业宗旨，特提供以下产品保证：

(1)凡是从我公司购买的仪器我公司提供五年质保（整机），终生免费维修的服务（在正常使用情况下）

(2)若是客户在产品使用过程中出现任何问题（包括人为损坏和使用不当造成产品无法正常使用），我公司都会在24小时之内给出解决方案。

(3)我公司工作人员会不定期的上门保养仪器，并且定期做电话回访，了解产品使用情况，解决客户问题。



五、中标通知书



北京国际贸易有限公司

BEIJING WORLD TRADE CO.,LTD.

地址：中国 北京建国门外大街甲3号 邮编：100020 TEL: 010-85343360
Add: A-3 JIANGUOMEN WAI STREET, BEIJING 100020 CHINA FAX: 010-65072239

中标通知书

北京汉华荣欣经贸有限公司：

在我公司组织的第六医院中央财政支持中医药事业传承与发展示范试点项目补助资金（招标编号：0680-2611QI043884Z）国内公开招标方式采购中，确定贵公司为本项目的中标供应商，中标金额为：¥3,195,500.00（大写：人民币叁佰壹拾玖万伍仟伍佰元整）。

请贵公司自中标通知书发出之日起三十日内与采购人签订合同。

特此通知。

北京国际贸易有限公司

2026年1月26日

